

PROFESSIONAL ENGINEERING WORKS

Jewellery Machines Manufacturer



Professional[®]

All About Dust Recovery



Professional Engineering Works was established in 1995, working from the residence .

We, at Professional Engineering, are totally committed to sharing the concerns of the jewellery manufacturer and, as such, have adopted R & D and innovation as a way of life. Customer satisfaction is not only our motto but also treated by us as our lifeline.

We have been associated not only with jewellery manufacturing but also dust collection systems & equipment for more than 25 years.

Over the years, we have introduced dust collectors / machines for various stages of jewellery production. Multi wet grinding Machine, Ultrasonic Handwash, & water Jet machine are the latest additions to the range of our product.

Filling Dust Collector has also been upgraded very silent machine with worker friendly table.


User friendliness of our machines is a well-recognised quality.

We participate in all major jewellery exhibitions throughout India with our latest addition of machinery & to know our customers' needs.

Professional engineering is today on top of the mind as far as brand recall is concerned.

PDC 1

SINGLE STATION POLISHING MACHINE WITH DUST COLLECTOR



- Strong suction motor.
- Bench polishing motor.
- On/Off switch.
- Exclusive wooden laminated top with drawer & lock.
- Pocket cloth filter of 10 microns.
- Aerodynamically designed MS hood tapered for greater suction.
- LED light with toggle switch on the hood.
- Foot shaker lever for dusting the dust in tray.
- Inbuilt silencer for noise reduction.
- Locking facility
- **PP Tapered jali in the hood of Size: 9" x 6" for efficient collection.**

SPECIFICATION

DIM: 28" x 25" x 48" (L x B x H) Approx.

Suction Motor : $\frac{3}{4}$ hp, 440V, Starting Amp : 1.7 Amp, Running Amp : 1.1Amp.

Bench polisher : $\frac{3}{4}$ hp, 440V, Starting Amp : 2 Amp, Running Amp : 1.5Amp.

Also available in single phase 220 volts CFM : 250, Sound Level : 68db. Approx.



PDC 2

DOUBLE STATION
POLISHING MACHINE WITH DUST COLLECTOR



Optional



- Strong suction motor.
- Bench polisher motors two nos.
- Exclusive wooden formica top with two nos. of drawers.
- Pocket cloth filter of 10 micron.
- Aerodynamically designed MS hood tapered for greater suction.
- The size of the hood is big.
- More filter capacity.
- **PP Tapered jali in the hood of Size: 9" x 6" for efficient collection**
- **Optional: MS Hood available with sloping base**
Filters primary & Secondary filters for better collection & easily removable
cheap disposable primary filters.
- LED light with toggle switch on the hoods.
- Foot shaker lever for dusting the dust in tray.
- Inbuilt silencer for noise reduction.
- Locking facility.

SPECIFICATION

Dim : 51" x 28" x 48" (L x B x H) Approx.

Suction Motor : 1½ hp, 440V, Starting Amp : 2Amp, Running Amp : 1.5Amp.

Bench polisher : ¾ hp, 440V, Starting Amp : 2Amp, Running Amp : 1.5Amp.



All About Dust Recovery

FTDC 1(New)

NEW FILING TABLE WITH DUST COLLECTOR



- Filing table of wooden top with acrylic front with magnifying glass.
- One piece SS tray with collar with 4" suction at the center.
- Controlled air flow from above the JB for pushing the dust towards the suction.
- LED Light & Tools stand available on the table.
- 3 stage filtration cloth Bag, Paper bag & cartridge filter provided for collection.
- Very good leg room provided for the operator.
- **Very silent dust Collector about 60 db.**
- Soldering facility also available on the table.
- Tools stand provided for convenience.

SPECIFICATION

Dimension of the machine 26 ½" x 21 ¼" x 50" (Approx)

Motor ¾ hp 440 volts 3 phase

CFM : 350 (Approx)



NFTDC 1

FILING TABLE WITH DUST COLLECTOR



- Filing MS Table.
- With fixed drawer & to & fro movement of the table top.
- Drawers provided.
- Very good suction.
- Cloth & paper filter for better collection.
- Air flow from above for pushing the dust towards the suction.
- Openable MS Hood.

SPECIFICATION

Motor 0.5 Hp 3 Ph Blower motor

Size: 28" x 28" x 56" (LBH)

Filters: Cloth & paper Filter approx 5 micron

CFM: 250 CFM Sound level : 60db approx



MWG 4

FOUR STATIONS MULTI WET GRINDING MACHINE



- $\frac{3}{4}$ HP grinding Motor with Spindles on the either side, two SS Hood on each side.
- Water Jet nozzle flexible pipe for water spray with individual control value.
- One wooden laminated top provided.
- Settling tank for dust deposition placed inside an SS cabinet with locking facility.
- Submersible pump for recycling water.
- SS mesh for Filtration & nylon fabric filter as secondary filter.
- Four wheel arrangement two on either side with spacers.
- Variable control speed for motor with PLC (optional)
- LED Light provided.

Specification:

Submersible pump 85 watts

Grinding motor $\frac{3}{4}$ HP 1 PH with spindles on both side.

Sound level: 25 db (appx).

Dim: 47" x 25" x 50" (LBH) appx.



MWG 1

SINGLE STATION WET GRINDING MACHINE



- 3/4 Hp grinding motor with S.S. Hood.
- Water jet nozzle flexible pipe for water spray with control value.
- Exclusive wooden formica top with drawer.
- S.S. setting tank for dust deposition with locking facility.
- Submersible pump for recycling water.
- SS mesh for filtration & nylon fabric filter as secondary filter .
- LED Light provided.

SPECIFICATION

Submersible pump 85 watts.

Grinding Motor 3/4 Hp 220 Volts single phase.

Sound Level 30 db (approx).

Dim. 28"x26"x49"(LXBXH) Approx..



All About Dust Recovery

MINI VAC 100

MINI VACUUM CLEANER



- Can be used for dry & wet application.
- One strong Suction 0.5 hp motor 220 volts.
- Easily movable on caster assembly.
- 10 micron filters.
- Light in weight, about 9 kgs.
- Suitable for place where bigger vacuum machine cannot reach.
- Dust collection is in the SS tank.
- All fitting Provided with the machine.

SPECIFICATION

Dim: 13" X 13" X 30" (L X B X H) & Approx.

½ hp Carbon motor, 1000 watts.

Capacity: 30 Litres



SAFETY FIRST



Website: www.professional.org.in

NVAC 100

LARGE VACUUM CLEANER



- Two Strong Suction 1/2 HP motor 220 volts.
- Heavy Duty.
- Powerful Suction.
- Dry & Wet Applications.
- Machine on caster wheels.
- Corrosion resistant steel body.
- Suction from the floor / mat can be collected automatic by the nozzle of the machine.
- All fitting Provided with the machine.

SPECIFICATION

Dim: 2' x 26" x 3' (L x B x H).

1/2 Hp Two Motors.

Power: 2300 Watts.

Capacity: 55 Litres.

Weight: 30 kgs.



All About Dust Recovery

SQDC 1

SQUARE DUST COLLECTOR FOR FILING



- Strong Suction Motor.
- Single & Double Suction inlet available.
- Cloth filter bag of 5 to 10 micron with additional paper bag in which dust can be collected.
- Can be easily fitted under work bench.
- Down time for replacement of filter bag 5 minutes.
- Manual vibrator provided.
- Inbuilt silencer for noise reduction.
- Locking facility.
- **Very Silent machine**

SPECIFICATION:

Dim : 15" x 22" x 16". (LBH) Approx.

$\frac{3}{4}$ hp, 440 V, Starting Amp: 1.7Amp, Running Amp: 1.1 Amp.

Also available in single phase 220Volts.

CFM : 250, Sound Level : **45db**. (Approx.).



DC 2

DOUBLE SUCTION
DUST COLLECTOR FOR FILING



- Strong suction motor.
- Single & Double Suction inlet available.
- Cloth filter bag of 5 to 10 micron with additional paper bag in which dust can be collected.
- Can be easily fitted under work bench.
- Down time for replacement of filter bag 5 minutes.
- Inbuilt silencer for noise reduction.
- Locking facility.

SPECIFICATION:

Dim : 17"dia x18"ht. Approx.

¾ hp, 440 V, Starting Amp: 1.7Amp, Running Amp: 1.1 Amp.

CFM : 250, Sound Level : 68db. (Approx.).



All About Dust Recovery

HW 2

HAND WASH WITH TWO TAPS



- P.P. body with S.S. wash basin & swiveling tap.
- PP Settling tank with pump & Cartridge filter.
- Level switch for auto operation.
- Two Cartridge filter of 5 to 10 micron.
- Machines available in desired sizes as per your specification.
- Machine is on wheels for easy mobility.
- Only settling tank can also be fabricated as per customer requirement.

SPECIFICATION:

Dim: 3' x 20" x 3' (L x B x H) approx.

Input: 220V AC / 50 Hz.

Pump Motor: 0.5 HP.



NFDC 1

FINISHING MACHINE



- Machine designed for finishing with freedom / micro motor or setting.
- MS Powder Coated Body & Hood with hand rest space.
- 5 micron cloth & paper for excellent & easy collection.
- LED light with toggle switch on MS Hood.
- Tongue (Wooden JB) can be adjusted as desired.
- Enough storage space provided at the back of the hood.

SPECIFICATION:

Dim: 27" x 30" x 47" (L x B x H) approx.


Suction Motor: ½ Hp, 440 V OR 220 V.

Sound Level: 65 db (approx). 250 CFM.



FW 1

FOOT WASH



- PVC Matt - 1/2"(t).
- Two SS partitions in the tank size approx (18"x4").
- Recycling of same water after filtration.
- Available in desired sizes as per your specification.
- Very good recovery.

SPECIFICATION:

SS Tank size : 3' x 18" x 9" (LBH).

Input: 220V AC / 50 Hz.

Submersible Pump : 0.5 HP.



SAFETY FIRST



SSQDC 1

SPRUE GRINDING WITH SQUARE DUST COLLECTOR



- Strong suction motor.
- Bench polisher motor.
- Exclusive wooden formica top with drawer.
- Aerodynamically designed sloping hood for greater suction.
- LED light with toggle switch.
- Single inlet with dust collection bag.
- Cloth filter bag of 5 to 10 micron with additional paper bag. in which dust can be collected.
- Down time for replacement of filter bag 5 minutes.
- Inbuilt silencer for noise reduction.
- Locking facility.
- Manual vibrator provided on the dust collector.
- **Very Silent Dust Collector machine.**

SPECIFICATION

Dim: Square Dust Collector of Single Suction 15" x 22" x 16" (LBH) Approx.

Dim : Table with MS hood and polishing Motor 27" x 23" x 48" (L x B x H) Approx.

Suction Motor : $\frac{3}{4}$ hp, 440V, Starting Amp : 1.7Amp, Running Amp : 1.1Amp.

Bench Grinder : $\frac{3}{4}$ hp, 440V, Starting Amp : 2Amp, Running Amp : 1.5Amp.

Also available in single phase 220Volts.

CFM : 250, Sound Level : **45db.** (Approx.)



LDC 1

SPLIT LAP WITH DUST COLLECTOR



- Strong suction motor.
- Split lap motor.
- Exclusive wooden laminated top with drawer.
- Pocket cloth filter of 5 to 10 micron.
- 30 degree angle for maximum visibility.
- Foot shaker lever for dusting the dust in tray.
- Inbuilt silencer for noise reduction.
- Locking facility.
- Extra suction chamber provided on the bottom of hood for better collection.
- LED Light provided.

SPECIFICATION

DIM : 27" x 23" x 47" (L x B x H) Approx.

Suction Motor : 3/4 hp, 440V, Starting Amp : 1.7Amp, Running Amp : 1.1Amp.

Split lap motor : 1/2 hp, 440V, Starting Amp : 2Amp, Running Amp : 1.5Amp.

Also available in single phase 220Volts.

CFM : 250, Sound Level : 50db. Approx.



SAFETY FIRST



MP 1

MAGNETIC POLISHER



- Magnetic Polisher for surface finishing.
- Powder coated MS body.
- PP container one piece.
- Polishes the surfaces even where hands and tools cannot reach.
- SS pins spun around by powerful magnets.
- Auto reverse & forward with inbuilt timer.

SPECIFICATION

Dim: 15" X 15" X 22" (L B H) Approx.

Power: ½ Hp, 3 Phase.

Container Size. 10" Dia x 7" H.


Weight: About 50 Kgs. appx.

Speed of Rotation : Variable speed option available.



NFTSQDC 1

M.S. TABLE WITH SQUARE DUST COLLECTOR



- M.S. Table with powder coating.
- Stand for flexible shaft motor provided.
- Tube light provided with flexible arm.
- Slope in Table drawer for better collection.
- PVC flexible suction pipe for dust collector provided.
- Hood can be fully removed from the work place for more work space.
- **Very silent Dust Collector machine.**
- Drawer provided in the table for storage.
- DOL starter provided for dust collector.
- Manual vibrator provided on the dust collector.

SPECIFICATION

DIM: 29" x 28" x 68" (L X B X H) Approx.

Suction Motor: $\frac{3}{4}$ hp, 440V, Starting Amp : 1.7 amp, Running Amp : 1.1 Amp.

Also available in single phase 220 Volts.

CFM: 250, Sound Level : **45db**. Approx.



UHW 1

ULTRASONIC HAND WASH



- Ultrasonic hand wash for cleaning hands before leaving the department for accountability.
- Auto sensor provided machine automatically switch on as the operation come before the machine.
- Like warm water 35°C for better cleaning.
- Elbow deep SS tank provided for efficient cleaning.
- Ball valve provided for removing two water from the tank.
- Fully SS body of machine.

SPECIFICATION

Dim: 16" x 14" x 11" (LBH)

Capacity: 25 litres

Power: 230 volts 50 Hz

Heaters: 1.5 kw Thermostats


Frequency of operation: 25KHz



PDC 1+

SINGLE STATION

POLISHING M/C WITH VARIABLE SPEED & DC



- This machine is specially design for ultimate final polish.
- Strong suction motor with bench polishing motor.
- On/Off switch.
- Exclusive wooden laminated top with drawer & lock.
- Pocket cloth filter of 10 microns.
- Aerodynamically designed MS hood tapered for greater suction.
- LED light with toggle switch on the hood.
- Foot shaker lever for dusting the dust in tray.
- Inbuilt silencer for noise reduction.
- Locking facility.
- **PP tapered jali in the hood of Size: 9" x 6" for efficient collection.**

SPECIFICATION

DIM : 26" x 24" x 48" (L x B x H) Approx.

Suction Motor : $\frac{3}{4}$ hp Motor.

Bench polisher : $\frac{3}{4}$ hp Motor.

Machine available in single phase 220 volts only.

Bench polishing motor with variable speed & Lesser Torque.

CFM : 250, Sound Level : 68db. Approx.



P 80

MINIATURE POLISHING DUST COLLECTOR



- This dust collector is extremely space efficient.
- For filtration, filter traps fine particles of 10 microns.
- Housing is constructed of heavy steel body.
- Suction unit with built-in polishing motor.
- Very silent machine.
- Inbuilt LED light provided.
- Rotary switch for operation.
- Maximum wheel size 4 inches diameter.
- Acrylic plate provided in front for safety.

SPECIFICATION

Dim: 22" x 12" x 18" (L x B x H) Approx.

RPM & Supply : 2800 RPM, 220 Volts.



AP 100

AIR PURIFIER



- Air purifier captures the air born dust.
- This dust is respirable & dangerous to the operator.
- Air Purifier reduces airborne particles.
- Creates a healthier work environment.
- Designed to capture dust produced in the jewellery industry.
- Very quiet (65db), easy to install on castor wheels.
- Plugs into any 220 Volt supply.
- Three stage filtration.

SPECIFICATION:

Dim: 18" x 15" x 35" (L x B x H) Approx.

220 Volts, Sound Level: 50db Approx.



CRT 1

COMPACT REPAIR TABLE FOR FILING & POLISHING



Highly Useful facility for Jewellery Showrooms & Factories.

- Bench polishing motor.
- Exclusive Wooden Laminated Top.
- Pocket Cloth Filter, 7 to 10 microns.
- Common Dust Collector for Filing & Polishing.
- Aerodynamically designed hood.
- LED light with toggle switch on hood.
- Tube light with Flexible arm for Filing Table.
- Foot shaker lever for dusting the dust in tray.
- In-built silencer for noise reduction.
- Steamer & ultrasonic machine provide.
- **PP Tapered jali provided in the hood.**
- Provision for micro motor and hand pieces.

SPECIFICATION:

Dimension: 63" x 24" x 48" LBH (Approx).

Suction motor : 3/4 hp , 440V, Starting Amp : 1.7, Running Amp : 1.1

Bench polisher : 3/4 hp, 440V, Starting Amp : 2, Running Amp: 1.5

CFM: 250, Sound Level : 50 db (Approx).



All About Dust Recovery

DC 8

EIGHT STATION DUST COLLECTOR FOR POLISHING



- Strong suction motor.
- Pocket cloth filter of 10 micron.
- Motorised vibrator for dusting the dust in tray.
- Inbuilt silencer for noise reduction.
- Lockable tray for dust.
- DOL starter for motor.
- Six to Eight stations can be catered.
- 8" dia suction.

SPECIFICATION

Dim: 3' x 3' x 6 ½' (L x B x H) Approx.

Suction Motor : 5 hp, 440V, Starting Amp: 5 Amp, Running Amp: 4.6 Amp.

Vibrator Motor: ¼ hp 440V, Starting Amp: 1 Amp, Running Amp: 0.6 Amp.

CFM : 250 per station, Sound Level: 75 db. (Approx.)



DC 4

DUST COLLECTOR
FOR FOUR STATION



- Pocket type cloth filter of 5 to 10 microns.
- This machine can cater to three to four stations of polishing / filing.
- In-built silencer for noise reduction.
- Locking facility.
- 4" dia outlet.
- Foot shaker for dusting the dust in tray.

SPECIFICATION

Dim: 24" X 32" X 30" (L X B X H) Approx.

1½ hp, 440 volts.

Also available in single phase 220 volts.

CFM : Around 150 per station.

Sound Level : 65 db (approx.)

Machine available with automatic vibrating system for filter assembly.

Vibrating motor : ¼ hp, 220 volts.



All About Dust Recovery

VB 100

VIBRATOR



- SS Body.
- 1 Kgs Capacity with secured locking facility.
- PU coated.
- Less sound.
- Excess water out let.
- Big Machines available 5Kg, 10 Kg, 15Kg & more.

SPECIFICATION

Inner tube Size: 15" x 11" x 14" (Lxbxh).

1Kg capacity of metal media required 10 kgs (5 different types).

Motor: 0.25 HP 220 Volts 1phase.

Machine size: 22" x 14" x 19" (Lxbxh).



SAFETY FIRST



WJ 100

WATER JET MACHINE



- SS Body 316.
- Tube light provided for better illumination.
- P.P settling Tank for collecting the powder tank provided with S.S Net.
- PVC gloves provided in the hood.
- P.P Plate with perforation provided in the hood to reduce the splashing of Jet.
- Two pump provided (for breaking) for zero Degree hit
- 25 degree hit (for cleaning).
- Machine on M.S Wheel for easily mobility.

SPECIFICATION

Electric Supply 440 Ac 50 Hz 3 phase.

Hood Size 24" x 24" x 24" (LBH).

Angle frame : heavy angle frame 1 ½" x 1 ½" (t).

PP Settling Tank : Size 18" x 18" x 18" with 0.3 Net Size on caster wheel.

Pump high pressure water HD 800E.

Water out put 750 Liters.

Operating pressure 110 Bar 1600 PSI.

Motor rating 4 Kw.

High Pressure hose 10 mtrs.

Spray Length 50 mm Long.

Spray nozzle 0 degree and 25 degree.



All About Dust Recovery

LIST OF CLIENTS

TITAN COMPANY LTD. DAMAS JEWELLERY EMERELD JEWEL INDUSTRY INDIA LTD

ABHILASHA JEWELLERS PVT. LTD
AGRIM JEWELLERS
AKSHAY JEWELS TECH
ALBION CONSULTING PVT.LTD
ALLIANCE JEWELLERIES
AMORE JEWELS
AMRIT IMPEX
ANAND KR DAS
AR GOLD PVT.LTD.
ARRISHAT JEWELLERS
AESERA JEWELS PVT. LTD.
ASHOK JEWELS
ASIAN STAR PVT. LTD.
AU FINJA JEWELS
AYANA JEWELS
AZURE JOUEL PVT.LTD.
B. R. DESIGN JEWELLERY
BALAJI BANGALES
BANGALORE REFINERY
BE JEWELLED
BHAKTI ORNAMENTS
BHARAT & COMPANY
BLUE STONE JEWELLERY & LIFESTYLE
CHAIN CRAFT
CREATION JEWELLERY
CRT JEWELS
D I JEWELSPVT. LTD.
DBS JEWELLERY
DESIGNER JEWELLERY
DEVI GOLD
DEW DIAMOND
DIA GOLD CREATIONS
DIVYA CREATIONS
DWARKA GEMS LTD
ELEGANT CHARMS INT.
ELEGANZA JEWELLERY
FANCY DIAMOND
FIRESTONE DIAMOND PVT. LTD.
FLAWLESS JEWELLERY PVT.LTD.
FOREVER PRECIOUS JEWELLERY &
DIAMOND LTD.
GALLET JEWELRY
GEMCO DESIGN
GIE GOLD CREATION PVT. LTD.
GLITTER JEWELS
GOLD FLAKES JEWELS PVT. LTD.
GOLDEN MOVMENT

VINAYAK JEWELS (P) LTD RENAISSANCE JEWELLERY LTD.

GOLDMINE EXPORTS
HEMANT GOLD
H. M. EXPORTS
HARIPRASHAD GOPIKRISHNA JEWELLERS
HIREN ENTERPRISES
HPGK J JEWELS
INDIGO JEWELLERY
INTERNATIONAL GOLD CO.PVT.LTD.
ITALIAN MFG. JEWELLERY DMCC
JALLANDHAR JEWELLERY HOUSE
JD CHAINS
JEWEL ART
JEWEL CREATOR
JEWEL SMITH
JEWELLERY SOLUTIONS
JEWELMARK INDIA PVT. LTD.
JK INTERNATIONAL
JWALA DIAMOND
K. K. JEWELS PVT. LTD.,
KALASH JEWELLERY
KALYANSHREE JEWEL ART INDIA P. LTD.
KAMALA BANGLES
KAPIL ENTERPRISES
KAPRISA
KASHI JEWELLERS
KGK CREATIONS
KIARA JEWELLERY
KIRAN JEWELS
KRISHNA JEWELS
KUNAL GOLD IND. FACTORY LTD.
L GOPAL & SONS JEWELLERS
LAKSHMI DIAMOND
LALITHAA JEWELLERY MART
LALSONS JEWELLERS LTD
LOREY JEWELS
LASYA DIAMOND JEWELLERY
MALIK JEWELLERS
MANSI GOLD CHAIN PVT. LTD.
MARK MC ASKILL JEWELLERY PVT.LTD.
MARQUES GEM
MARVEL INTERNATIONAL
MASTER CHAIN
MILLENIUM JEWELLERY
MK CASTING (AMBA ORNAMENTS)
MKS JEWELLERY INTL. CO. LTD.
MMTC-PAMP INDIA PVT. LTD.
NICE TREND
NIHAR JEWELS

KBS GROUPS CARAT LANE TRADING P.LTD KIAHA GROUPS

NAVRATTAN ENTERPRISES
ONYX JEWELS INDIA PVT. LTD.
ORNAMENTATION (INDIA) PVT.LTD
P. MANGATRAM JEWELLERS
P.T. BABA PRIMA MFG.
PANACHE EXPORTS
PARSHVA JEWELS
PARAM SNEH JEWELLERS INDIA
PEAKOK JEWELLERY PVT.LTD
PINKCITY JEWELHOUSE PVT.LTD
PIYUE JEWELLERS CC
PRIORITY JEWELS PVT.LTD.
PRISM ENTERPRISES
PR JEWELS
PURE DIA JEWELS
PUSHPA GOLD PVT. LTD.
R.C. JEWELLERS PVT.LTD
RKR GOLD PVTT.LTD.
R.P.JEWELLERS EXPORTS
RAKSHA ENTERPRISES
RARE GEMS & JEWELLERY
RAVISSANT PVT.LTD.
RAYS JEWELS
RELIANCE JEWELLERY WATCH
ROYAL ITALIAN JEWELLERY
RIVERSTONE JEWELS
RIVA GOLD
S. B. & T. INTERNATIONAL
S.K.JEWELS
SABINE JEWELLERY
SAMAYAK LIFE STYLE PVT.LTD.
SANGHI JEWELLERS PVT. LTD.,
SANSKRITI GOLD
SAVIO JEWELLERY
SAI JEWELLERS
SATTVAM JEWELS LLP
SANTRAM MANGATRAM JEWELLERS
SCINTILLATING JEWELLERY
SCORE TR LLC
SEA BLUES
SHAGUN BROTHERS
SHANTI GOLD
SHASHWAT JEWELS
SHIMMER GEMS
SHIV NARAYAN JEWELLERS
SHREE GANESH JEWELLERY HOUSE LTD.
SHREE KRISHNA EXPORTS

VAIBHAV GLOBAL LTD SIDD'S JEWELS HK DESIGN (INDIA)

SHREEJI JEWELLERY LTD.,
SHRI CHAIN COMPANY
SHAURYA JEWEL
SHRI RAJ JEWELS
SIDHANT DIAMOND
SILPARAMAN
SILVER CREATION PVT.LTD.
SNC JEWELS PVT.LTD
SOAP & ALLIED INDUSTRIES (Srilanka)
SOGANI JEWELLERS
SONI GOLD DMCC
SONA DIAMOND & GOLD EXPORT
SOVERIGN DIAMOND LTD.
SPECTRUM JEWELMART (P) LTD.
SREE SHANMUGAR'S DIAMOND
JEWELLERS
SRI PADMARAJ JEWELLERS
STAR JEWELS
STELLER JEWELLERY
SUNDARAM JEWELS PVT. LTD.
SURANA JEWELLERS
SWASTIK ARTS
TACHE JEWELLERY PVT.LTD.
TAMBOLI EXIM
TANAYA GEMS
TANVI GOLD CAST LLP
TECHNO JAYA JEWELLERY UDHYOG
TIRUPATI JEWELS
THE RAY INCORPORATED MFG.EXP.
UNI DESIGN GROUP
UNI GEM
UNITED JEWELLERY MFG. CO.,
UTSAV DIAMOND (SHANTI GOLD)
UV OVERSEAS
UZURI JEWELS
V. V. ENTERPRISES
V.K.DIAMONDS
V.L.M.K. JEWELLERY
VALENTINE JEWELLERY PVT. LTD.
VIJAY GEMS
VIMMUDI BANGARU JEWELLERS
VISMAYA GOLD
VSV & SONS JEWELLERS
WHITE FIRE
YASHVARDHAN JEWELS
ZAMBAD JEWELLERS.
ZAVERAT



  <p>Beartex Wheel for grinding</p> <p>3 m wheel for polishing</p>	  <p>Paper Filter</p> <p>Cloth Filter</p>	 <p>PVC Pipe</p>	  <p>MS Hood for Polishing Machine</p> <p>MS Hopper</p>
 <p>Hand Rest</p>	  <p>Rubber wheel with emery belt for sprue grinding</p> <p>Lapping Wheel for lapping</p>	  <p>Filter bag for polishing</p> <p>Polishing Machine Pocket Filter</p>	  <p>Coolant pipe & water pump for wet grinding</p>
 <p>Polishing Spindle</p>	 <p>Wooden JB</p>	  <p>Aluminium Wheel for grinding</p> <p>3m wheel for sprue grinding</p>	  <p>Filter for Hand Wash</p> <p>Paper & cloth filter for filling Dust collector</p>
 <p>Spares for vacuum cleaner</p>	   <p>Round Jali</p> <p>PP Jali</p> <p>Acrylic Jali</p>	 <p>Handy gloves & Fingers gloves</p>	  <p>Motor for Polishing</p> <p>Motor for suction</p>
  <p>Starter</p> <p>Switches</p>	 <p>Black lamp & White lamp</p>	 <p>Rubber mat</p>	 <p>PVC fitting</p>



Professional[®]

619, Shree Laxmi Plaza Premises Co-Op. Soc. Ltd., Laxmi Ind. Est., New Link Road, Andheri (West), Mumbai - 400 053, India.
Tel: 022 6758 6655 / 67586658 / 022 2633 4999 ■ E-mail: manmeher@gmail.com ■ Website: www.professional.org.in